Applicant(s) Application No. FUSHIMI, TADAYUKI 10/670,198 Notice of Allowability Examiner **Art Unit** 2821 Thuy V. Tran -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to <u>amendment submitted on 12/28/04.</u> 2. The allowed claim(s) is/are 1-3 and 5-11. 3. A The drawings filed on 9/26/03 & replacement (Fig. 1) 12/28/04 are accepted by the Examiner. 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) 🛛 All b) Some* c) None of the: 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application (PTO-152) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 6. Interview Summary (PTO-413), Paper No./Mail Date 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08), 7. Examiner's Amendment/Comment Paper No./Mail Date 8. X Examiner's Statement of Reasons for Allowance 4. Examiner's Comment Regarding Requirement for Deposit

THUY V.TRAN
PRIMARY EXAMINER

of Biological Material

9. Other

Application/Control Number: 10/670,198

Art Unit: 2821

DETAILED ACTION

This is a response to the Applicant's amendment submitted on 12/28/2004. In virtue of this amendment, claim 4 is canceled; and thus, claims 1-3 and 5-11 are now presented in the instant application.

Allowable Subject Matter

1. Claims 1-3 and 5-11 are allowed.

Reasons for Allowance

2. The following is an examiner's statement of reasons for allowance:

Prior art fails to disclose or fairly suggest a high voltage transformer for lighting a plurality of discharge lamps wherein the primary coil comprises a starter primary winding for initially lighting the discharge lamps, and a normal lighting primary winding for normally lighting the discharge lamps, and wherein the starter primary winding has a smaller number of turns than that of the normal lighting primary winding, in combination with the remaining claimed limitations as called for in independent claim 1 (claims 2-3 and 5-11 are allowed since they are dependent on claim 1).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Citation of relevant prior art

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Application/Control Number: 10/670,198

Art Unit: 2821

Prior art Stevens (U.S. Patent No. 6,628,093) discloses a power converter for driving alternating current loads.

Prior art Cho et al. (U.S. Patent No. 6,316,883) discloses a power factor correction circuit for fluorescent lamps.

Prior art Shimokawa et al. (U.S. Patent No. 5,729,095) discloses a high frequency lighting apparatus comprising a discharge lamp and a power supply.

Prior art Vossough et al. (U.S. Patent No. 5,192,897) discloses an electronic high-frequency controlled device.

Inquiry

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thuy V. Tran whose telephone number is (571) 272-1828. The examiner can normally be reached on M-F (8:00 AM -5:00 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Don Wong can be reached on (571) 272-1834. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 10/670,198

Art Unit: 2821

03/12/2005

Page 4

THUY V.TIRAN PRIMARY EXAMINER